

## State of Vermont

Department of Fish and Wildlife
Department of Forests, Parks and Recreation
Department of Environmental Conservation
State Geologist
RELAY SERVICE FOR THE HEARING IMPAIRED
1-800-253-0191 TDD>Voice
1-800-253-0195 Voice>TDD

AGENCY OF NATURAL RESOURCES
Department of Environmental Conservation
Waste Management Division
103 South Main Street / West Building
Waterbury, Vermont 05671-0404
(802) 241-3888
FAX (802) 241-3296

May 1, 1997

JEFFREY WILSON TOWN OF MANCHESTER PO BOX 909 MANCHESTER VT 05255

RE: Closure of former Manchester Police, Fire and Rescue Complex, Manchester, VT (Site #90-0581)

Dear Mr. Wilson:

The Sites Management Section (SMS) has received confirmation that the on site stockpiled petroleum contaminated soils at the above referenced site have been properly treated via thermal destruction at the ESMI in New Hampshire.

With this information, the SMS can now make the following conclusions:

- On June 26, 1996, two 500 gallon UST containing #2 fuel oil and one 5,00 gallon UST containing diesel fuel were removed from the ground at the former Manchester Police, Fire and Rescue Complex in Manchester, Vermont.
- Petroleum contaminated soils were measured under two of the three USTs at levels reaching 143 ppm for one UST and 89 ppm for the other, as measured with a photionization device (PID). One of the USTs had a 1/8 inch diameter hole on the bottom of the tank.
- Approximately 8 cubic yards of contaminated soil was removed from the excavation and stockpiled on site for treatment by polyencapsulation. These soils were further treated and disposed at the ESMI facility in NH.
- Four shallow groundwater monitoring wells were installed in September 1986. The wells were sampled and analyzed for VOCs using EPA method 8015/8020. No petroleum compounds were detected in these samples. In addition, the area is served by a municipal water system.
- No unacceptable risk to human health and the environment is present due to any residual contamination remaining in the ground from the removed USTs.

(Over)

Post-it® Fax Note 7671	Date 5/1/97 # of pages ▶ 2	10ve.
To Kupt Moore	From Chuck Schwer	252
Co./Dept.	Co.	~~~
Phone #	Phone #	Village
Fax #	Fax #	1 05754
		Activity Completed (SMAC)

designation. This SIVIAC designation does not release the Town of Manchester of any past or future liability associated with the petroleum contamination onsite. It does, however, mean that the SMS is not requesting any additional work in response to the June 1996 UST removals.

Please feel free to call with any questions.

Sincerely,

George Desch, Chief, P.E. Sites Management Section

CC: Manchester Selectboard

**DEC** Regional Office

Kurt Moore

CBS/petro/manPF&R.sma